

# Level Set Evolution Without Re-initialization: A New Variational Formulation

Chunming Li<sup>1</sup>, Chenyang Xu<sup>2</sup>, Changfeng Gui<sup>3</sup>, and Martin D. Fox<sup>1</sup>

<sup>1</sup> Department of Electrical and  
Computer Engineering  
University of Connecticut  
Storrs, CT 06269, USA  
{cml,fox}@engr.uconn.edu

<sup>2</sup> Department of Imaging  
and Visualization  
Siemens Corporate Research  
Princeton, NJ 08540, USA  
chenyang.xu@siemens.com

<sup>3</sup> Department of Mathematics  
University of Connecticut  
Storrs, CT 06269, USA  
gui@math.uconn.edu

## Abstract

*In this paper, we present a new variational formulation for geometric active contours that forces the level set function to be close to a signed distance function, and therefore completely eliminates the need of the costly re-initialization procedure. Our variational formulation consists of an internal energy term that penalizes the deviation of the level set function from a signed distance function, and an external energy term that drives the motion of the zero level set toward the desired image features, such as object boundaries. The resulting evolution of the level set function is the gradient flow that minimizes the overall energy functional. The proposed variational level set formulation has three main advantages over the traditional level set formulations. First, a significantly larger time step can be used for numerically solving the evolution partial differential equation, and therefore speeds up the curve evolution. Second, the level set function can be initialized with general functions that are more efficient to construct and easier to use in practice than the widely used signed distance function. Third, the level set evolution in our formulation can be easily implemented by simple finite difference scheme and is computationally more efficient. The proposed algorithm has been applied to both simulated and real images with promising results.*

## 1. Introduction

In recent years, a large body of work on geometric active contours, i.e., active contours implemented via level set methods, has been proposed to address a wide range of image segmentation problems in image processing and computer vision (cf. [3, 5, 7]). Level set methods were first introduced by Osher and Sethian [11] for capturing moving fronts. Active contours were introduced by Kass, Witkins, and Terzopoulos [1] for segmenting objects in images using dynamic curves. The existing active contour models can be

broadly classified as either *parametric active contour* models or *geometric active contour* models according to their representation and implementation. In particular, the parametric active contours [1, 2] are represented explicitly as parameterized curves in a Lagrangian framework, while the geometric active contours [5–7] are represented implicitly as level sets of a two-dimensional function that evolves in an Eulerian framework.

Geometric active contours are independently introduced by Caselles *et al.* [5] and Malladi *et al.* [7], respectively. These models are based on curve evolution theory [10] and level set method [17]. The basic idea is to represent contours as the zero level set of an implicit function defined in a higher dimension, usually referred as the *level set function*, and to evolve the level set function according to a partial differential equation (PDE). This approach presents several advantages [4] over the traditional parametric active contours. First, the contours represented by the level set function may break or merge naturally during the evolution, and the topological changes are thus automatically handled. Second, the level set function always remains a function on a fixed grid, which allows efficient numerical schemes.

Early geometric active contour models (cf. [5–7]) are typically derived using a Lagrangian formulation that yields a certain evolution PDE of a parametrized curve. This PDE is then converted to an evolution PDE for a level set function using the related Eulerian formulation from level set methods. As an alternative, the evolution PDE of the level set function can be directly derived from the problem of minimizing a certain energy functional defined on the level set function. This type of variational methods are known as variational level set methods [8, 9, 14].

Compared with pure PDE driven level set methods, the variational level set methods are more convenient and natural for incorporating additional information, such as region-based information [8] and shape-prior information [9], into energy functionals that are directly formulated in the level set domain, and therefore produce more robust results. For examples, Chan and Vese [8] proposed an ac-

tive contour model using a variational level set formulation. By incorporating region-based information into their energy functional as an additional constraint, their model has much larger convergence range and flexible initialization. Vemuri and Chen [9] proposed another variational level set formulation. By incorporating shape-prior information, their model is able to perform joint image registration and segmentation.

In implementing the traditional level set methods, it is numerically necessary to keep the evolving level set function close to a signed distance function [15, 17]. *Re-initialization*, a technique for periodically re-initializing the level set function to a signed distance function during the evolution, has been extensively used as a numerical remedy for maintaining stable curve evolution and ensuring usable results. However, as pointed out by Gomes and Faugeras [12], re-initializing the level set function is obviously a disagreement between the theory of the level set method and its implementation. Moreover, many proposed re-initialization schemes have an undesirable side effect of moving the zero level set away from its original location. It still remains a serious problem as when and how to apply the re-initialization [12]. So far, the re-initialization procedure has often been applied in an ad-hoc manner.

In this paper, we present a new variational formulation that forces the level set function to be close to a signed distance function, and therefore completely eliminates the need of the costly re-initialization procedure. Our variational energy functional consists of an internal energy term and an external energy term, respectively. The internal energy term penalizes the deviation of the level set function from a signed distance function, whereas the external energy term drives the motion of the zero level set to the desired image features such as object boundaries. The resulting evolution of the level set function is the gradient flow that minimizes the overall energy functional. Due to the internal energy, the level set function is naturally and automatically kept as an approximate signed distance function during the evolution. Therefore, the re-initialization procedure is completely eliminated. The proposed variational level set formulation has three main advantages over the traditional level set formulations. First, a significantly larger time step can be used for numerically solving the evolution PDE, and therefore speeds up the curve evolution. Second, the level set function could be initialized as functions that are computationally more efficient to generate than the signed distance function. Third, the proposed level set evolution can be implemented using simple finite difference scheme, instead of complex upwind scheme as in traditional level set formulations. The proposed algorithm has been applied to both simulated and real images with promising results. In particular it appears to perform robustly in the presence of weak boundaries.

In the following sections, we give necessary background, describe our method and its implementation, and provide experimental results that show the overall characteristics

and performance of this method.

## 2. Background

### 2.1. Traditional Level Set Methods

In level set formulation of moving fronts (or active contours), the fronts, denoted by  $\mathcal{C}$ , are represented by the zero level set  $\mathcal{C}(t) = \{(x, y) \mid \phi(t, x, y) = 0\}$  of a level set function  $\phi(t, x, y)$ . The evolution equation of the level set function  $\phi$  can be written in the following general form:

$$\frac{\partial \phi}{\partial t} + F|\nabla \phi| = 0 \quad (1)$$

which is called *level set equation* [11]. The function  $F$  is called the speed function. For image segmentation, the function  $F$  depends on the image data and the level set function  $\phi$ .

In traditional level set methods [5–7, 17], the level set function  $\phi$  can develop shocks, very sharp and/or flat shape during the evolution, which makes further computation highly inaccurate. To avoid these problems, a common numerical scheme is to initialize the function  $\phi$  as a signed distance function before the evolution, and then “reshape” (or “re-initialize”) the function  $\phi$  to be a signed distance function periodically during the evolution. Indeed, the re-initialization process is crucial and cannot be avoided in using traditional level set methods [4–7].

### 2.2. Drawbacks Associated with Re-initialization

Re-initialization has been extensively used as a numerical remedy in traditional level set methods [5–7]. The standard re-initialization method is to solve the following *re-initialization equation*

$$\frac{\partial \phi}{\partial t} = \text{sign}(\phi_0)(1 - |\nabla \phi|) \quad (2)$$

where  $\phi_0$  is the function to be re-initialized, and  $\text{sign}(\phi)$  is the sign function. There has been copious literature on re-initialization methods [15, 16], and most of them are the variants of the above PDE-based method. Unfortunately, if  $\phi_0$  is not smooth or  $\phi_0$  is much steeper on one side of the interface than the other, the zero level set of the resulting function  $\phi$  can be moved incorrectly from that of the original function [4, 15, 17]. Moreover, when the level set function is far away from a signed distance function, these methods may not be able to re-initialize the level set function to a signed distance function. In practice, the evolving level set function can deviate greatly from its value as signed distance in a small number of iteration steps, especially when the time step is not chosen small enough.

So far, re-initialization has been extensively used as a numerical remedy for maintaining stable curve evolution and

ensuring desirable results. From the practical viewpoints, the re-initialization process can be quite complicated, expensive, and have subtle side effects. Moreover, most of the level set methods are fraught with their own problems, such as when and how to re-initialize the level set function to a signed distance function [12]. There is no simple answer that applies generally [15] to date. The variational level set formulation proposed in this paper can be easily implemented by simple finite difference scheme, without the need of re-initialization.

### 3. Variational Level Set Formulation of Curve Evolution Without Re-initialization

#### 3.1. General Variational Level Set Formulation with Penalizing Energy

As discussed before, it is crucial to keep the evolving level set function as an approximate signed distance function during the evolution, especially in a neighborhood around the zero level set. It is well known that a signed distance function must satisfy a desirable property of  $|\nabla\phi| = 1$ . Conversely, any function  $\phi$  satisfying  $|\nabla\phi| = 1$  is the signed distance function plus a constant [19]. Naturally, we propose the following integral

$$\mathcal{P}(\phi) = \int_{\Omega} \frac{1}{2} (|\nabla\phi| - 1)^2 dx dy \quad (3)$$

as a metric to characterize how close a function  $\phi$  is to a signed distance function in  $\Omega \subset \mathbb{R}^2$ . This metric will play a key role in our variational level set formulation.

With the above defined functional  $\mathcal{P}(\phi)$ , we propose the following variational formulation

$$\mathcal{E}(\phi) = \mu\mathcal{P}(\phi) + \mathcal{E}_m(\phi) \quad (4)$$

where  $\mu > 0$  is a parameter controlling the effect of penalizing the deviation of  $\phi$  from a signed distance function, and  $\mathcal{E}_m(\phi)$  is a certain energy that would drive the motion of the zero level curve of  $\phi$ .

In this paper, we denote by  $\frac{\partial\mathcal{E}}{\partial\phi}$  the Gateaux derivative (or first variation) [18] of the functional  $\mathcal{E}$ , and the following evolution equation:

$$\frac{\partial\phi}{\partial t} = -\frac{\partial\mathcal{E}}{\partial\phi} \quad (5)$$

is the *gradient flow* [18] that minimizes the functional  $\mathcal{E}$ . For a particular functional  $\mathcal{E}(\phi)$  defined explicitly in terms of  $\phi$ , the Gateaux derivative can be computed and expressed in terms of the function  $\phi$  and its derivatives [18].

We will focus on applying the variational formulation in (4) to active contours for image segmentation, so that the zero level curve of  $\phi$  can evolve to the desired features in the image. For this purpose, the energy  $\mathcal{E}_m$  will be defined

as a functional that depends on image data (see below), and therefore we call it the *external energy*. Accordingly, the energy  $\mathcal{P}(\phi)$  is called the *internal energy* of the function  $\phi$ , since it is a function of  $\phi$  only.

During the evolution of  $\phi$  according to the gradient flow (5) that minimizes the functional (4), the zero level curve will be moved by the external energy  $\mathcal{E}_m$ . Meanwhile, due to the penalizing effect of the internal energy, the evolving function  $\phi$  will be automatically maintained as an approximate signed distance function during the evolution according to the evolution (5). Therefore the re-initialization procedure is completely eliminated in the proposed formulation. This concept is demonstrated further in the context of active contours next.

#### 3.2. Variational Level Set Formulation of Active Contours Without Re-initialization

In image segmentation, active contours are dynamic curves that moves toward the object boundaries. To achieve this goal, we explicitly define an external energy that can move the zero level curve toward the object boundaries. Let  $I$  be an image, and  $g$  be the *edge indicator function* defined by

$$g = \frac{1}{1 + |\nabla G_{\sigma} * I|^2},$$

where  $G_{\sigma}$  is the Gaussian kernel with standard deviation  $\sigma$ . We define an external energy for a function  $\phi(x, y)$  as below

$$\mathcal{E}_{g,\lambda,\nu}(\phi) = \lambda\mathcal{L}_g(\phi) + \nu\mathcal{A}_g(\phi) \quad (6)$$

where  $\lambda > 0$  and  $\nu$  are constants, and the terms  $\mathcal{L}_g(\phi)$  and  $\mathcal{A}_g(\phi)$  are defined by

$$\mathcal{L}_g(\phi) = \int_{\Omega} g\delta(\phi)|\nabla\phi| dx dy \quad (7)$$

and

$$\mathcal{A}_g(\phi) = \int_{\Omega} gH(-\phi) dx dy, \quad (8)$$

respectively, where  $\delta$  is the univariate Dirac function, and  $H$  is the Heaviside function.

Now, we define the following total energy functional

$$\mathcal{E}(\phi) = \mu\mathcal{P}(\phi) + \mathcal{E}_{g,\lambda,\nu}(\phi) \quad (9)$$

The external energy  $\mathcal{E}_{g,\lambda,\nu}$  drives the zero level set toward the object boundaries, while the internal energy  $\mu\mathcal{P}(\phi)$  penalizes the deviation of  $\phi$  from a signed distance function during its evolution.

To understand the geometric meaning of the energy  $\mathcal{L}_g(\phi)$ , we suppose that the zero level set of  $\phi$  can be represented by a differentiable parameterized curve  $\mathcal{C}(p)$ ,  $p \in [0, 1]$ . It is well known [9] that the energy functional  $\mathcal{L}_g(\phi)$  in (7) computes the length of the zero level curve of  $\phi$  in the conformal metric  $ds = g(\mathcal{C}(p))|\mathcal{C}'(p)|dp$ . The




Figure 1. Evolution of level set function  $\phi$ . Row 1: the evolution of the level set function  $\phi$ . Row 2: the evolution of the zero level curve of the corresponding level set function  $\phi$  in Row 1.

energy functional  $\mathcal{A}_g(\phi)$  in (8) is introduced to speed up curve evolution. Note that, when the function  $g$  is constant 1, the energy functional in (8) is the area of the region  $\Omega_{\phi}^- = \{(x, y) | \phi(x, y) < 0\}$  [17]. The energy functional  $\mathcal{A}_g(\phi)$  in (8) can be viewed as the weighted area of  $\Omega_{\phi}^-$ . The coefficient  $\nu$  of  $\mathcal{A}_g$  can be positive or negative, depending on the relative position of the initial contour to the object of interest. For example, if the initial contours are placed outside the object, the coefficient  $\nu$  in the weighted area term should take positive value, so that the contours can shrink faster. If the initial contours are placed inside the object, the coefficient  $\nu$  should take negative value to speed up the expansion of the contours.

By calculus of variations [18], the Gateaux derivative (first variation) of the functional  $\mathcal{E}$  in (9) can be written as

$$\begin{aligned} \frac{\partial \mathcal{E}}{\partial \phi} = & -\mu[\Delta \phi - \operatorname{div}(\frac{\nabla \phi}{|\nabla \phi|})] \\ & -\lambda \delta(\phi) \operatorname{div}(g \frac{\nabla \phi}{|\nabla \phi|}) - \nu g \delta(\phi) \end{aligned}$$

where  $\Delta$  is the Laplacian operator. Therefore, the function  $\phi$  that minimizes this functional satisfies the Euler-Lagrange equation  $\frac{\partial \mathcal{E}}{\partial \phi} = 0$ . The steepest descent process for minimization of the functional  $\mathcal{E}$  is the following gradient flow:

$$\frac{\partial \phi}{\partial t} = \mu[\Delta \phi - \operatorname{div}(\frac{\nabla \phi}{|\nabla \phi|})] + \lambda \delta(\phi) \operatorname{div}(g \frac{\nabla \phi}{|\nabla \phi|}) + \nu g \delta(\phi) \quad (10)$$

This gradient flow is the evolution equation of the level set function in the proposed method.

The second and the third term in the right hand side of (10) correspond to the gradient flows of the energy func-

tional  $\lambda \mathcal{L}_g(\phi)$  and  $\nu \mathcal{A}_g(\phi)$ , respectively, and are responsible of driving the zero level curve towards the object boundaries. To explain the effect of the first term, which is associated to the internal energy  $\mu \mathcal{P}(\phi)$ , we notice that the gradient flow

$$\Delta \phi - \operatorname{div}(\frac{\nabla \phi}{|\nabla \phi|}) = \operatorname{div}[(1 - \frac{1}{|\nabla \phi|}) \nabla \phi]$$

has the factor  $(1 - \frac{1}{|\nabla \phi|})$  as diffusion rate. If  $|\nabla \phi| > 1$ , the diffusion rate is positive and the effect of this term is the usual diffusion, i.e. making  $\phi$  more even and therefore reduce the gradient  $|\nabla \phi|$ . If  $|\nabla \phi| < 1$ , the term has effect of reverse diffusion and therefore increase the gradient.

We use an image of a circular object, as shown in Fig. 1, to show the evolution of  $\phi$  according to Eq. (10). In Fig. 1, the first figure in the upper row shows the initial level set function, and its zero level curve is plotted in first figure in the lower row. The upper row shows the evolution of the level set function  $\phi$ , and the lower row shows the corresponding zero level curve of  $\phi$ . The fourth column is the converged result of the evolution. As we can see from this figure, during the evolution, the evolving level set function  $\phi$  is maintained very close to a signed distance function.

## 4. Implementation

### 4.1. Numerical Scheme

In practice, the Dirac function  $\delta(x)$  in (10) is slightly smoothed as the following function  $\delta_{\varepsilon}(x)$  defined by:

$$\delta_{\varepsilon}(x) = \begin{cases} 0, & |x| > \varepsilon \\ \frac{1}{2\varepsilon} [1 + \cos(\frac{\pi x}{\varepsilon})], & |x| \leq \varepsilon. \end{cases} \quad (11)$$

We use the regularized Dirac  $\delta_\varepsilon(x)$  with  $\varepsilon = 1.5$ , for all the experiments in this paper. Because of the diffusion term introduced by our penalizing energy, we no longer need the upwind scheme [4] as in the traditional level set methods. Instead, all the spatial partial derivatives  $\frac{\partial\phi}{\partial x}$  and  $\frac{\partial\phi}{\partial y}$  are approximated by the central difference, and the temporal partial derivative  $\frac{\partial\phi}{\partial t}$  is approximated by the forward difference. The approximation of (10) by the above difference scheme can be simply written as

$$\frac{\phi_{i,j}^{k+1} - \phi_{i,j}^k}{\tau} = L(\phi_{i,j}^k) \quad (12)$$

where  $L(\phi_{i,j})$  is the approximation of the right hand side in (10) by the above spatial difference scheme. The difference equation (12) can be expressed as the following iteration:

$$\phi_{i,j}^{k+1} = \phi_{i,j}^k + \tau L(\phi_{i,j}^k) \quad (13)$$

## 4.2. Selection of Time Step

In implementing the proposed level set method, the time step  $\tau$  can be chosen significantly larger than the time step used in the traditional level set methods. We have tried a large range of the time step  $\tau$  in our experiments, from 0.1 to 100.0. For example, we have used  $\tau = 50.0$  and  $\mu = 0.004$  for the image in Fig. 1, and the curve evolution only takes 40 iterations, while the curve converge to the object boundary precisely.

A natural question is: what is the range of the time step  $\tau$  for which the iteration (13) is stable? From our experiments, we have found that the time step  $\tau$  and the coefficient  $\mu$  must satisfy  $\tau\mu < \frac{1}{4}$  in the difference scheme described in Section 4.1, in order to maintain stable level set evolution.

Using larger time step can speed up the evolution, but may cause error in the boundary location if the time step is chosen too large. There is a tradeoff between choosing larger time step and accuracy in boundary location. Usually, we use  $\tau \leq 10.0$  for the most images.

## 4.3. Flexible Initialization of Level Set Function

In traditional level set methods, it is necessary to initialize the level set function  $\phi$  as a signed distance function  $\phi_0$ . If the initial level set function is significantly different from a signed distance function, then the re-initialization schemes are not able to re-initialize the function to a signed distance function. In our formulation, not only the re-initialization procedure is completely eliminated, but also the level set function  $\phi$  is no longer required to be initialized as a signed distance function.

Here, we propose the following functions as the initial function  $\phi_0$ . Let  $\Omega_0$  be a subset in the image domain  $\Omega$ , and  $\partial\Omega_0$  be all the points on the boundaries of  $\Omega_0$ , which




Figure 2. Isocontours plot of the level set function  $\phi$ , using the proposed initial function  $\phi_0$  defined by (14) with  $\rho = 6$ . Seven isocontours are plotted at the levels  $-3, -2, -1, 0, 1, 2,$  and  $3$ , with the dark thicker curves being the zero level curves.

can be efficiently identified by some simple morphological operations. Then, the initial function  $\phi_0$  is defined as

$$\phi_0(x, y) = \begin{cases} -\rho, & (x, y) \in \Omega_0 - \partial\Omega_0 \\ 0, & (x, y) \in \partial\Omega_0 \\ \rho, & \Omega - \Omega_0 \end{cases} \quad (14)$$

where  $\rho > 0$  is a constant. We suggest to choose  $\rho$  larger than  $2\varepsilon$ , where  $\varepsilon$  is the width in the definition of the regularized Dirac function  $\delta_\varepsilon$  in (11).

Unlike signed distance functions, which are computed from a contour, the proposed initial level set functions are computed from an arbitrary region  $\Omega_0$  in the image domain  $\Omega$ . Such region-based initialization of level set function is not only computationally efficient, but also allows for flexible applications in some situations. For example, if the regions of interest can be roughly and automatically obtained in some way, such as thresholding, then we can use these roughly obtained regions as the region  $\Omega_0$  to construct the initial level set function  $\phi_0$ . Then, the initial level set function will evolve stably according to the evolution equation, with its zero level curve converged to the exact boundary of the region of interest. To demonstrate the effectiveness of the proposed initialization scheme, we apply the proposed initialization and evolution model for the same image in Fig. 1. The initial level set function  $\phi_0$  is constructed as a function defined by (14) with  $\rho = 6$  and  $\Omega_0$  containing two separate regions. By definition, this initial function  $\phi$  only takes three values:  $-6, 0,$  and  $6$ , and its isocontours are




Figure 3. Result for a real image of a cup and a bottle, with  $\lambda = 5.0$ ,  $\mu = 0.04$ ,  $\nu = 3.0$ , and time step  $\tau = 5.0$ .

plotted in the first figure in Fig. 2. The evolution of  $\phi$  from its initial values  $\phi_0$  is shown in Fig. 2 by plotting the level curves at seven levels -3, -2, -1, 0, 1, 2, and 3, with the dark thicker ones as the zero level curves (the ones in the middle of the seven isocontours). As clearly seen in this figure, the level set function eventually become very close to a signed distance function, whose isocontours at these seven levels are almost equally spaced, with the distance between two adjacent isocontours very close to 1.

Note that this kind of initial function  $\phi_0$  significantly deviates from a signed distance function. During the evolution, the level set function  $\phi$  may not be able to keep its profile globally as an approximate signed distance function in the entire image domain. But the evolution based on the proposed penalizing diffusion still maintains the level set function  $\phi$  as an approximate signed distance function near the zero level set. Indeed, we have demonstrated this desirable property in the example shown in Fig. 2.

## 5. Experimental Results

The proposed variational level set method has been applied to a variety of synthetic and real images in different modalities. In all the experimental results shown in this section, the level set functions are initialized as the function  $\phi_0$  defined by (14) with  $\rho = 6$  and some regions  $\Omega_0$ .

For example, Fig. 3 shows the result on a  $100 \times 200$ -pixel image of a bottle and a cup. The initial level set  $\phi_0$




Figure 4. Result for a real microscope cell image, with  $\lambda = 5.0$ ,  $\mu = 0.04$ ,  $\nu = 1.5$ , and time step  $\tau = 5.0$ .

is computed from the region enclosed by the quadrilateral enclosing, as shown in Fig. 3(a). For this image, we used the parameters  $\lambda = 5.0$ ,  $\mu = 0.04$ ,  $\nu = 3.0$ , and time step  $\tau = 5.0$ , which is significantly larger than the time step used for traditional level set methods. The curve evolution takes 650 iterations.

Fig. 4 shows the evolution of the contour on a  $64 \times 80$ -pixel microscope image of two cells. As we can see, some parts of the boundaries of the two cells are quite blurry. We use this image to demonstrate the robustness of our method in the presence of weak object boundaries. We used the region below the straight line, shown in Fig. 4(a), as the region  $\Omega_0$  for computing the initial level set function  $\phi_0$ . As shown in Fig. 4, this initial straight line successfully evolved to the object boundaries, and the shape of them are recovered very well. This result demonstrates desirable performance of our method in extracting weak object boundaries, which is usually very difficult for the traditional level set methods to apply [8].

Our method has also been applied to ultrasound images. Ultrasound images are notorious for the speckle noise and low signal-to-noise ratio, and therefore is very difficult to apply traditional methods to extract the object boundaries. Fig. 5 shows the results of our method for a  $110 \times 130$ -pixel ultrasound image of carotid artery. The boundary of the carotid artery was successfully extracted by our method despite the presence of strong noise.




Figure 5. Result for an ultrasound image of carotid artery, with  $\lambda = 6.0$ ,  $\mu = 0.1$ ,  $\nu = -3.0$ , and time step  $\tau = 2.0$ .

## 6. Conclusions

In this paper, we present a new variational level set formulation that completely eliminates the need of the re-initialization. The proposed level set method can be easily implemented by using simple finite difference scheme and is computationally more efficient than the traditional level set methods. In our method, significantly larger time step can be used to speed up the curve evolution, while maintaining stable evolution of the level set function. Moreover, the level set function is no longer required to be initialized as a signed distance function. We propose a region-based initialization of level set function, which is not only computationally more efficient than computing signed distance function, but also allows for more flexible applications. We demonstrate the performance of the proposed algorithm using both simulated and real images, and in particular its robustness to the presence of weak boundaries and strong noise.

## References

- [1] M. Kass, A. Witkin, and D. Terzopoulos, "Snakes: active contour models", *Int'l J. Comp. Vis.*, vol. 1, pp. 321-331, 1987.
- [2] C. Xu and J. Prince, "Snakes, shapes, and gradient vector flow", *IEEE Trans. Imag. Proc.*, vol. 7, pp. 359-369, 1998.
- [3] X. Han, C. Xu and J. Prince, "A topology preserving level set method for geometric deformable models", *IEEE Trans. Patt. Anal. Mach. Intell.*, vol. 25, pp. 755-768, 2003.
- [4] J. A. Sethian, *Level set methods and fast marching methods*, Cambridge: Cambridge University Press, 1999.
- [5] V. Caselles, F. Catte, T. Coll, and F. Dibos, "A geometric model for active contours in image processing", *Numer. Math.*, vol. 66, pp. 1-31, 1993.
- [6] V. Caselles, R. Kimmel, and G. Sapiro, "Geodesic active contours", *Int'l J. Comp. Vis.*, vol. 22, pp. 61-79, 1997.
- [7] R. Malladi, J. A. Sethian, and B. C. Vemuri, "Shape modeling with front propagation: a level set approach", *IEEE Trans. Patt. Anal. Mach. Intell.*, vol. 17, pp. 158-175, 1995.
- [8] T. Chan and L. Vese, "Active contours without edges", *IEEE Trans. Imag. Proc.*, vol. 10, pp. 266-277, 2001.
- [9] B. Vemuri and Y. Chen, "Joint image registration and segmentation", *Geometric Level Set Methods in Imaging, Vision, and Graphics*, Springer, pp. 251-269, 2003.
- [10] B. B. Kimia, A. Tannenbaum, and S. Zucker, "Shapes, shocks, and deformations I: the components of two-dimensional shape and the reaction-diffusion space", *Int'l J. Comp. Vis.*, vol. 15, pp. 189-224, 1995.
- [11] S. Osher, J. A. Sethian, "Fronts propagating with curvature-dependent speed: algorithms based on Hamilton-Jacobi formulations", *J. Comp. Phys.*, vol. 79, pp. 12-49, 1988.
- [12] J. Gomes and O. Faugeras, "Reconciling distance functions and Level Sets", *J. Visual Communic. and Imag. Representation*, vol. 11, pp. 209-223, 2000.
- [13] M. Sussman, P. Smereka, and S. Osher, "A level set method for computing solutions to incompressible two-phase flow", *J. Comp. Phys.*, vol. 114, pp. 146-159, 1994.
- [14] H. Zhao, T. Chan, B. Merriman, and S. Osher, "A variational level set approach to multiphase motion", *J. Comp. Phys.*, vol. 127, pp. 179-195, 1996.
- [15] D. Peng, B. Merriman, S. Osher, H. Zhao, and M. Kang, "A PDE-based fast local level set method", *J. Comp. Phys.*, vol. 155, pp. 410-438, 1999.
- [16] M. Sussman and E. Fatemi "An efficient, interface-preserving level set redistancing algorithm and its application to interfacial incompressible fluid flow", *SIAM J. Sci. Comp.*, vol. 20, pp. 1165-1191, 1999.
- [17] S. Osher and R. Fedkiw, *Level Set Methods and Dynamic Implicit Surfaces*, Springer-Verlag, New York, 2002.
- [18] L. Evans *Partial Differential Equations*, Providence: American Mathematical Society, 1998.
- [19] V. I. Arnold, *Geometrical Methods in the Theory of Ordinary Differential Equations*, New York: Springer-Verlag, 1983.